



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2021012311393927

NAME AND ADDRESS OF THE APPLICANT

WISTRO Elektro-Mechanik GmbH
Berliner Allee 29 - 31 D-30855 Langenhagen

NAME AND ADDRESS OF THE MANUFACTURER

WISTRO Elektro-Mechanik GmbH
Berliner Allee 29 - 31 D-30855 Langenhagen

NAME AND LOCATION OF THE FACTORY

WISTRO Elektro-Mechanik GmbH
Berliner Allee 29 - 31 D-30855 Langenhagen

PRODUCT NAME,MODEL AND SPECIFICATION

Forced ventilation fans
See Appendix

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 3836.1-2021;GB/T 3836.3-2021;GB/T 3836.31-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C23-01:2024).

Valid from: May.19,2026

Valid until: May.18,2031

Date of original issued: Jun.01,2021

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2021012311393927

Appendix : Page 1 of 2

序号	型号	电机型号	最大功率 (W)		额定电压 (V)		最大电流 (A)		极数	防爆标志
			50 Hz	60 Hz	50Hz 3~Y	60Hz 3~Y	50Hz 3~Y	60Hz 3~Y		
			1	FLAI Bg 63	B20 IL 2-9	34	33	346-525		
		B21 IL 2-9	34	29	0.10	0.09				
		B31 IL 2-10	74	68	0.52	0.50				
2	FLAI Bg 71	B20 IL 2-9	35	35	346-525	380-575	0.08	0.07	2	
		B21 IL 2-9	36	33			0.10	0.09		
		B31 IL 2-10	72	66			0.50	0.47		
3	FLAI Bg 80	B20 IL 2-9	39	42	346-525	380-575	0.08	0.07	2	
		B21 IL 2-9	39	39			0.10	0.09		
		B31 IL 2-10	77	75			0.50	0.47		
4	FLAI Bg 90	B31 IL 2-9	120	111	346-525	380-575	0.25	0.23	2	
		B32 IL 2-9	92	85			0.24	0.20		
		B31 IL 2-10	81	85			0.50	0.46		
5	FLAI Bg 100	B31 IL 2-9	123	123	346-525	380-575	0.26	0.23	2	
		B32 IL 2-9	97	96			0.23	0.20		
		B31 IL 2-10	87	96			0.49	0.46		
6	FLAI Bg 112	B31 IL 2-9	144	132	346-525	380-575	0.24	0.22	2	
		B32 IL 2-9	104	114			0.23	0.20		
		B31 IL 2-10	95	110			0.47	0.44		
7	FLAI Bg 132	C36 IL 2-9	167	183	346-525	380-575	0.39	0.33	2	
		C36 IL 4-9	91	81			0.28	0.24	4	
8	FLAI Bg 160-200	C62 IL 2-9	327	405			0.79	0.66	2	
		C62 IL 4-9	95	97					0.27	0.24
9	FLAI Bg 204-249	D48 IL 4-9	181	260			0.39	0.38	4	
		D49 IL 4-9	176	239					0.38	0.37
10	FLAI Bg 250-450	F50 IL 4-9	341	509	0.64	0.69	4			
		H40 IL 4-9	281	434			0.48	0.67	4	
11	FLAI Bg 63	B20 IL 2-9	34	33	200-303	220-332	0.13	0.12	2	
		B21 IL 2-9	34	29			0.18	0.16		
		B31 IL 2-10	74	68			0.90	0.85		
12	FLAI Bg 71	B20 IL 2-9	35	35	200-303	220-332	0.13	0.12	2	
		B21 IL 2-9	36	33			0.18	0.15		
		B31 IL 2-10	72	66			0.87	0.82		
13	FLAI Bg 80	B20 IL 2-9	39	42	200-303	220-332	0.13	0.12	2	

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2021012311393927

Appendix : Page 2 of 2

序号	型号	电机型号	最大功率 (W)		额定电压 (V)		最大电流 (A)		极数	防爆标志			
			50 Hz	60 Hz	50Hz 3~Y	60Hz 3~Y	50Hz 3~Y	60Hz 3~Y					
		B21 IL 2-9	39	39				0.17	0.15				
		B31 IL 2-10	77	75	100-122	100-135		0.87	0.81				
14	FLAI Bg 90	B31 IL 2-9	120	111	200-303	220-332		0.44	0.40	2			
		B32 IL 2-9	92	85				0.41	0.35				
		B31 IL 2-10	81	85	100-122	100-135		0.86	0.80				
15	FLAI Bg 100	B31 IL 2-9	123	123	200-303	220-332		0.44	0.40	2			
		B32 IL 2-9	97	96				0.40	0.35				
		B31 IL 2-10	87	96	100-122	100-135		0.84	0.80				
16	FLAI Bg 112	B31 IL 2-9	144	132	200-303	220-332		0.42	0.39	2			
		B32 IL 2-9	104	114				0.40	0.34				
		B31 IL 2-10	95	110	100-122	100-135		0.82	0.77				
17	FLAI Bg 132	C36 IL 2-9	167	183	200-303	220-332		0.67	0.58	2			
		C36 IL 4-9	91	81				0.48	0.42			4	
18	FLAI Bg 160-200	C62 IL 2-9	327	405						1.36	1.14	2	
		C62 IL 4-9	95	97						0.47	0.41		
19	FLAI Bg 204-249	D48 IL 4-9	181	260						0.68	0.66	4	
		D49 IL 4-9	176	239						0.66	0.63		
20	FLAI Bg 250-450	F50 IL 4-9	341	509						1.10	1.20	4	
		H40 IL 4-9	281	434						0.83	1.13		

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



中国国家强制性产品认证证书

证书编号：2021012311393927

认证委托人名称及地址

WISTRO Elektro-Mechanik GmbH
Berliner Allee 29 - 31 D-30855 Langenhagen

生产者名称及地址

WISTRO Elektro-Mechanik GmbH
Berliner Allee 29 - 31 D-30855 Langenhagen

生产企业名称及地址

WISTRO Elektro-Mechanik GmbH
Berliner Allee 29 - 31 D-30855 Langenhagen

产品名称和系列、型号、规格

强制通风风扇
见附页

产品标准和技术要求

GB/T 3836.1-2021;GB/T 3836.3-2021;GB/T 3836.31-2021

上述产品符合《强制性产品认证实施规则 防爆电气》（CNCA-C23-01:2024）的要求，特发此证。

发证日期：2026年05月19日 有效期至：2031年05月18日

本证书为变更证书，证书首次颁发日期：2021年06月01日
证书信息和有效性可扫描下方二维码或登录发证机构网站查验，
也可在认监委网站（www.cnca.gov.cn）查询。



签发：

刘江



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司





中国国家强制性产品认证证书

证书编号：2021012311393927

证书附页：第 1 页 共 2 页

序号	型号	电机型号	最大功率 (W)		额定电压 (V)		最大电流 (A)		极数	防爆标志	
			50 Hz	60 Hz	50Hz 3~Y	60Hz 3~Y	50Hz 3~Y	60Hz 3~Y			
1	FLAI Bg 63	B20 IL 2-9	34	33	346-525	380-575	0.08	0.07	2	Ex cc IIC T3 Gc/Ex tc III C T120 °C Dc	
		B21 IL 2-9	34	29			0.10	0.09			
		B31 IL 2-10	74	68	174-211	174-234	0.52	0.50			
2	FLAI Bg 71	B20 IL 2-9	35	35	346-525	380-575	0.08	0.07	2		
		B21 IL 2-9	36	33			0.10	0.09			
		B31 IL 2-10	72	66	174-211	174-234	0.50	0.47			
3	FLAI Bg 80	B20 IL 2-9	39	42	346-525	380-575	0.08	0.07	2		
		B21 IL 2-9	39	39			0.10	0.09			
		B31 IL 2-10	77	75	174-211	174-234	0.50	0.47			
4	FLAI Bg 90	B31 IL 2-9	120	111	346-525	380-575	0.25	0.23	2		
		B32 IL 2-9	92	85			0.24	0.20			
		B31 IL 2-10	81	85	174-211	174-234	0.50	0.46			
5	FLAI Bg 100	B31 IL 2-9	123	123	346-525	380-575	0.26	0.23	2		
		B32 IL 2-9	97	96			0.23	0.20			
		B31 IL 2-10	87	96	174-211	174-234	0.49	0.46			
6	FLAI Bg 112	B31 IL 2-9	144	132	346-525	380-575	0.24	0.22	2		
		B32 IL 2-9	104	114			0.23	0.20			
		B31 IL 2-10	95	110	174-211	174-234	0.47	0.44			
7	FLAI Bg 132	C36 IL 2-9	167	183	346-525	380-575	0.39	0.33	2		
		C36 IL 4-9	91	81			0.28	0.24	4		
8	FLAI Bg 160-200	C62 IL 2-9	327	405			0.79	0.66	2		
		C62 IL 4-9	95	97			0.27	0.24	4		
9	FLAI Bg 204-249	D48 IL 4-9	181	260			0.39	0.38	4		
		D49 IL 4-9	176	239			0.38	0.37			
10	FLAI Bg 250-450	F50 IL 4-9	341	509			0.64	0.69	4		
		H40 IL 4-9	281	434			0.48	0.67			
11	FLAI Bg 63	B20 IL 2-9	34	33			200-303	220-332	0.13	0.12	2
		B21 IL 2-9	34	29					0.18	0.16	
		B31 IL 2-10	74	68	100-122	100-135	0.90	0.85			
12	FLAI Bg 71	B20 IL 2-9	35	35	200-303	220-332	0.13	0.12	2		
		B21 IL 2-9	36	33			0.18	0.15			
		B31 IL 2-10	72	66	100-122	100-135	0.87	0.82			
13	FLAI Bg 80	B20 IL 2-9	39	42	200-303	220-332	0.13	0.12	2		

本页为证书附页，应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



中国国家强制性产品认证证书

证书编号：2021012311393927

证书附页：第 2 页 共 2 页

序号	型号	电机型号	最大功率 (W)		额定电压 (V)		最大电流 (A)		极数	防爆标志
			50 Hz	60 Hz	50Hz 3~Y	60Hz 3~Y	50Hz 3~Y	60Hz 3~Y		
14	FLAI Bg 90	B21 IL 2-9	39	39			0.17	0.15	2	
		B31 IL 2-10	77	75	100-122	100-135	0.87	0.81		
		B32 IL 2-9	120	111	200-303	220-332	0.44	0.40		
		B31 IL 2-10	92	85			0.41	0.35		
15	FLAI Bg 100	B31 IL 2-10	81	85	100-122	100-135	0.86	0.80	2	
		B31 IL 2-9	123	123	200-303	220-332	0.44	0.40		
		B32 IL 2-9	97	96			0.40	0.35		
16	FLAI Bg 112	B31 IL 2-10	87	96	100-122	100-135	0.84	0.80	2	
		B31 IL 2-9	144	132	200-303	220-332	0.42	0.39		
		B32 IL 2-9	104	114			0.40	0.34		
17	FLAI Bg 132	C36 IL 2-9	167	183	200-303	220-332	0.67	0.58	2	
		C36 IL 4-9	91	81			0.48	0.42		
18	FLAI Bg 160-200	C62 IL 2-9	327	405	200-303	220-332	1.36	1.14	2	
		C62 IL 4-9	95	97			0.47	0.41		
19	FLAI Bg 204-249	D48 IL 4-9	181	260	200-303	220-332	0.68	0.66	4	
		D49 IL 4-9	176	239			0.66	0.63		
20	FLAI Bg 250-450	F50 IL 4-9	341	509	200-303	220-332	1.10	1.20	4	
		H40 IL 4-9	281	434			0.83	1.13		

本页为证书附页，应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司